



# 2010 PRICE LIST

Effective 03/01/10

## RESIDENTIAL & COMMERCIAL HEATERS



# ORDER INFORMATION /

**TERMS OF SALE:**

PRICES IN EFFECT AT TIME OF SHIPMENT WILL GOVERN. PRICES MAY CHANGE WITHOUT NOTICE. HEAT TRANSFER PRODUCTS, INC., RESERVES THE RIGHT TO MAKE PRODUCT CHANGES OR IMPROVEMENTS AT ANY TIME WITHOUT NOTICE.

**TERMS:**

PLEASE REFER TO PAYMENT TERMS NOTED ON INDIVIDUAL INVOICES OR CONTACT ACCOUNTS RECEIVABLE DEPARTMENT FOR DETAILS.

**PURCHASE ORDER CHANGE/CANCELLATION:**

ANY CHANGE OR CANCELLATION OF A PURCHASE ORDER IS SUBJECT TO APPROVAL BY THE CUSTOMER SERVICE DEPARTMENT, ANY APPROVED CHANGE OR CANCELLATION MUST BE VERIFIED IN WRITING TO HTP AND WILL BE SUBJECT TO A 25% RESTOCK CHARGE.

**SHIPMENTS:**

PRICES ARE F.O.B., E. FREETOWN, MA. FREIGHT ALLOWANCES CAN BE APPLIED, BASED ON PURCHASED QUANTITIES. ASK CUSTOMER SERVICE DEPARTMENT FOR FURTHER DETAILS.

**NOTE: BREAKDOWN CHARGES OF \$25.00 PER SKID WILL BE APPLIED TO ORDERS THAT DO NOT MEET THE STANDARD PACKAGING REQUIREMENT.**

**TRANSPORTATION CLAIMS:**

SINCE MERCHANDISE SHIPPED TO OUR CUSTOMERS BECOMES THE PROPERTY OF THE BUYER UPON RECEIPT BY THE CARRIER, IT IS NECESSARY THAT THE MERCHANDISE BE CAREFULLY INSPECTED UPON RECEIPT. THIS IS TO ENSURE THAT THE PROPER NUMBER OF DAMAGE-FREE UNITS HAVE BEEN RECEIVED. IN THE EVENT OF SHORTAGE/DAMAGE, THE BUYER'S RECEIVING AGENT SHOULD HAVE THE CARRIER'S AGENT MAKE A NOTATION OF CONDITION OR SHORTAGES ON THE RECEIVING REPORT. THIS IS SO A CLAIM CAN BE FILED AGAINST THE CARRIER. IF DAMAGE IS DISCOVERED AFTER UNPACKING, THE CARRIER SHOULD BE NOTIFIED AT ONCE, SO INSPECTION CAN BE MADE AND THE CLAIMED DAMAGE SUBSTANTIATED BY THE CARRIER. IN ALL CASES, THE CLAIM MUST BE FILED BY THE BUYER.

## HTP SUPPORT TEAM

**TECHNICAL SUPPORT**  
WARRANTY DEPT.

**(800) 323-9651 OPTION #2**  
DIAL 150 OR 191

**508-763-4909**  
508-763-3769



## HSC SUPPORT TEAM

**DEPARTMENT**

**PHONE & EXT**

**E-MAIL**

**FAX NO.**

JEREMY JEDKINS-SALES/CUSTOMER SERVICE	(510) 464-3130 ext 312	<a href="mailto:toni@itgmuir.com">toni@itgmuir.com</a>	(510) 434-3141
MIKE GASPER-SALES/CUSTOMER SERVICE	(510) 464-3130 ext 307	<a href="mailto:mike@2hsc.com">mike@2hsc.com</a>	(510) 434-3141
JOHN GROSE - COMMERCIAL SALES	(510) 464-3130 ext 330	<a href="mailto:john@2hsc.com">john@2hsc.com</a>	(510) 434-3141
BRENT ADAMS - COMMERCIAL SALES	(510) 464-3130 ext 331	<a href="mailto:brent@2hsc.com">brent@2hsc.com</a>	(510) 434-3141
PATRICK DOYLE - COMMERCIAL SALES	(510) 464-3130 ext 3329	<a href="mailto:pdoyle@2hsc.com">pdoyle@2hsc.com</a>	(510) 434-3141
TONY BRADEN-WAREHOUSE/SHIPPING	(510) 464-3130 ext 305	<a href="mailto:tony@2hsc.com">tony@2hsc.com</a>	(510) 434-3141

## INDEX

PRODUCT	PAGE
<b>SUPERSTOR ULTRA INDIRECT FIRED WATER HEATERS</b>	4
SUPERSTOR ULTRA INDIRECT FIRED WATER HEATERS - Controls & Accessories	5
<b>SUPERSTOR INDIRECT FIRED SOLAR WATER HEATERS</b>	6
SUPERSTOR INDIRECT FIRED SOLAR WATER HEATERS - Controls & Accessories	7
<b>SUPERSTOR CONTENDER GLASS LINED INDIRECT WATER HEATERS</b>	8
<b>SUPERSTOR CONTENDER GLASS LINED SOLAR WATER HEATERS</b>	8
SUPERSTOR CONTENDER GLASS LINED INDIRECT & SOLAR WATER HEATERS -Co	9
<b>SUPERSTOR ULTRA STAINLESS STEEL POOL HEATER</b>	10
SUPERSTOR ULTRA STAINLESS STEEL POOL HEATER - Controls & Accessories	10
<b>SUPERSTOR OIL FIRED WATER HEATERS</b>	11
SUPERSTOR OIL FIRED WATER HEATERS - Controls & Accessories	11
<b>SUPERSTOR ULTRA COIL BOOSTER STAINLESS STEEL STORAGE TANKS</b>	12
<b>SUPERSTOR COIL BOOSTER GLASS LINED STORAGE TANKS</b>	12
SUPERSTOR ULTRA STAINLESS STEEL BUFFER TANKS	13
STORAGE & BUFFER TANKS - Controls & Accessories	13
<b>EVERLAST ELECTRIC WATER HEATERS</b>	14
<b>EVERLAST ELECTRIC WATER HEATERS - Controls &amp; Accessories</b>	14
PHOENIX EVOLUTION & SOLAR COMBINED HYDRONIC APPLIANCES	15
<b>PHOENIX EVOLUTION &amp; SOLAR COMBINED HYDRONIC APPLIANCES - Replacemen</b>	16
PHOENIX GAS FIRED & SOLAR WATER HEATERS	17
<b>PHOENIX GAS FIRED &amp; SOLAR WATER HEATERS - Controls &amp; Accessories</b>	18
ELITE HEATING BOILER - RESIDENTIAL	19
<b>ELITE HEATING BOILER - Replacement Parts</b>	20
MUNCHKIN HIGH EFFICIENCY BOILER - RESIDENTIAL	21
MUNCHKIN HIGH EFFICIENCY BOILER - COMMERCIAL	21
<b>MUNCHKIN BOILER 925/926 SERIES CONTROLLER - Controls &amp; Accessories</b>	22
MUNCHKIN BOILER 925 SERIES CONTROLLER (HA) - Controls & Accessories	23
MUNCHKIN BOILER HONEYWELL SERIES - Controls & Accessories	23
<b>MUNCHKIN BOILER - Accessories</b>	24
<b>MUNCHKIN REV 2 BOILER - Controls &amp; Accessories</b>	24
VISION CONTROL PACKAGES	25
<b>VISION 1, 2, &amp; 3 CONTROLLER - Accessories</b>	26
MUNCHKIN VWH HIGH EFFICIENCY HOT WATER SUPPLY BOILER	27
MUNCHKIN VWH - Accessories	27
<b>MUNCHKIN VWH 925 SERIES CONTROLLER - Controls &amp; Accessories</b>	28
<b>MUNCHKIN VWH 925 SERIES CONTROLLER (HA) - Controls &amp; Accessories</b>	28
MUNCHKIN CONTENDER RESIDENTIAL BOILER	29
MUNCHKIN CONTENDER 925/926 SERIES CONTROLLER - Controls & Accessories	29-30
<b>MUNCHKIN CONTENDER - Accessories</b>	30
SPECIAL ORDER ITEMS	31

# SUPERstor ULTRA

## INDIRECT FIRED WATER HEATERS

**RESIDENTIAL INDIRECT SSU SERIES** STAINLESS STEEL TANK WITH HIGH EFFICIENCY CUPRONICKEL HEAT EXCHANGER. FOAM INSULATED.

LIMITED WARRANTY: LIFETIME

STANDARD PACKAGING: SSU-20 THROUGH SSU-60 = 4 PER SKID SSU-80, SSU-119 = 1 PER SKID \*

ID #	MODEL	RETAIL LIST	180 DEG.F BOILER FIRST HOUR RATING		APPROX. SHIPPING WEIGHT	DIMENSIONS		DOMESTIC CONNECTION SIZE
			140 DEG. F.	115 DEG. F.		DIA.	HEIGHT	
1144	SSU-20	\$ 1,999.00	121 GPH	168 GPH	53 LBS.	19 1/4"	27"	3/4" NPT-M
1147	SSU-30	\$ 2,208.00	154 GPH	212 GPH	67 LBS.	19 1/4"	39 1/2"	3/4" NPT-M
1149	SSU-30LB	\$ 2,570.00	169 GPH	234 GPH	70 LBS.	23 1/4"	28 1/2"	3/4" NPT-M
1150	SSU-45	\$ 2,567.50	212 GPH	292 GPH	78 LBS.	19 1/4"	52 1/2"	3/4" NPT-M
1154	SSU-60	\$ 3,838.00	266 GPH	370 GPH	98 LBS.	23 1/4"	52 1/2"	1" NPT-M
1157	SSU-80	\$ 4,685.50	330 GPH	440 GPH	139 LBS.	23 1/4"	72"	1-1/2" NPT-M
1140	SSU-119	\$ 7,669.50	423 GPH	564 GPH	206 LBS.	27"	74"	1-1/2" NPT-M

**RESIDENTIAL DOUBLE WALL INDIRECT SSU-DW SERIES** STAINLESS STEEL TANK WITH HIGH EFFICIENCY CUPRONICKEL DOUBLE WALL HEAT EXCHANGER. FOAM INSULATED.

LIMITED WARRANTY: LIFETIME

STANDARD PACKAGING: SSU-45DW, SSU-60DW = 4 PER SKID SSU-80DW, SSU-119DW = 1 PER SKID \*

ID #	MODEL	RETAIL LIST	180 DEG.F BOILER WATER FIRST HOUR RATING		APPROX. SHIPPING WEIGHT	DIMENSIONS		DOMESTIC CONNECTION SIZE
			140 DEG. F.	115 DEG. F.		DIA.	HEIGHT	
1153	SSU-45DW	\$ 3,541.00	110 GPH	152 GPH	88 LBS.	19 1/4"	52 1/2"	3/4" NPT-M
1156	SSU-60DW	\$ 4,569.00	126 GPH	174 GPH	108 LBS.	23 1/4"	52 1/2"	1" NPT-M
1160	SSU-80DW	\$ 5,466.00	160 GPH	221 GPH	149 LBS.	23 1/4"	72"	1-1/2" NPT-M
1143	SSU-119DW	\$ 8,652.00	296 GPH	414 GPH	216 LBS.	27"	74"	1-1/2" NPT-M

**COMMERCIAL INDIRECT SSU-C SERIES** STAINLESS STEEL TANK WITH (2) HIGH EFFICIENCY CUPRONICKEL HEAT EXCHANGERS. FOAM INSULATED.

LIMITED WARRANTY: 7 YEARS

STANDARD PACKAGING: SSU-45C, SSU-60C = 4 PER SKID SSU-80C, SSU-119C = 1 PER SKID \*

ID #	MODEL	RETAIL LIST	180 DEG.F BOILER WATER FIRST HOUR RATING		APPROX. SHIPPING WEIGHT	DIMENSIONS		DOMESTIC CONNECTION SIZE
			140 DEG. F.	115 DEG. F.		DIA.	HEIGHT	
1151	SSU-45C	\$ 3,541.00	266 GPH	369 GPH	88 LBS.	19 1/4"	52 1/2"	3/4" NPT-M
5430	SSU-60C	\$ 4,461.50	300 GPH	415 GPH	118 LBS.	23 1/4"	52 1/2"	1" NPT-M
5432	SSU-80C	\$ 5,661.00	415 GPH	550 GPH	163 LBS.	23 1/4"	72"	1-1/2" NPT-M
1141	SSU-119C	\$ 8,804.50	540 GPH	710 GPH	230 LBS.	27"	74"	1-1/2" NPT-M

\* BREAKDOWN CHARGES OF \$25.00 PER SKID WILL BE APPLIED TO ORDERS THAT DO NOT MEET THE STANDARD PACKAGING REQUIREMENT.

## INDIRECT FIRED WATER HEATERS CONTROLS & ACCESSORIES

**SSU, SSU-C, SSU-DW** CONTROLS & ACCESSORIES (ALL ITEMS SOLD AND PACKAGED INDIVIDUALLY)

ID #	PART #	RETAIL LIST	DESCRIPTION
1111	L4080B-1352	\$ 140.50	HONEYWELL CONTROL W/DIFFERENTIAL OF 7°
	6060P-868	\$ 140.50	TASSERON AQUASTAT CONTROL
5371	L4006G	\$ 235.50	HONEYWELL CONTROL 60° F. TO 160° F. W/DIFFERENTIAL OF 12°
5268	11D18	\$ 242.50	WHITE RODGERS CONTROL 100° TO 240° F - W/ ADJ. DIFFERENTIAL 5-30°
2403	006-BT4	\$ 471.00	TACO BRONZE PUMP - 3/4" NPT
105	AM101C	\$ 449.50	SPARCO ANTI-SCALD MIXING VALVE - 3/4" NPT - 90° F. TO 120° F.
106	AM102C	\$ 618.50	SPARCO ANTI-SCALD MIXING VALVE - 1" NPT - 90° F. TO 120° F.
1129	PMW-3SENP-1	\$ 83.50	STAINLESS STEEL AQUASTAT WELL (ALL INDIRECT WATER HEATERS)
1210	TP1500	\$ 78.50	RELIEF VALVE - 3/4" - 100XL-8 (20, 30, 30LB, 45 & 60 GAL ALL DW)
5460	TP1800	\$ 273.50	RELIEF VALVE - 3/4" - 40XL-8 (45C, 60C, 80 & 80C, 119 & 119C)



## INDIRECT FIRED SOLAR WATER HEATERS

**SSU-SE SERIES** STAINLESS STEEL TANK WITH HIGH EFFICIENCY CUPRONICKEL HEAT EXCHANGER. FOAM INSULATED. SHIPPED WITH T&P VALVE AND CONTROL.

LIMITED WARRANTY: TANK ONLY: LIFETIME PARTS: 1 YEAR

STANDARD PACKAGING: 60 AND 80 GALLON = 4 PER SKID 119 GALLON = 1 PER SKID \*

ID #	MODEL	RETAIL LIST	APPROX. SHIPPING WEIGHT	DIMENSIONS		DOMESTIC CONNECTION SIZE
				DIA.	HEIGHT	
10911	SSU-60SE	\$ 3,879.50	100 LBS.	23 1/4"	52 1/2"	1" NPT-M
10913	SSU-80SE	\$ 4,608.50	141 LBS.	23 1/4"	72"	1-1/2" NPT-M
10915	SSU-119SE	\$ 7,187.00	208 LBS.	27"	74"	1-1/2" NPT-M

E - DENOTES SOLAR WITH 4500 WATT SINGLE ELECTRIC ELEMENT

**SSU-SB SERIES** STAINLESS STEEL TANK WITH HIGH EFFICIENCY CUPRONICKEL HEAT EXCHANGER. FOAM INSULATED. SHIPPED WITH T&P VALVE AND CONTROL.

LIMITED WARRANTY: TANK ONLY: LIFETIME PARTS: 1 YEAR

STANDARD PACKAGING: 60 AND 80 GALLON = 4 PER SKID 119 GALLON = 1 PER SKID \*

ID #	MODEL	RETAIL LIST	APPROX. SHIPPING WEIGHT	DIMENSIONS		DOMESTIC CONNECTION SIZE
				DIA.	HEIGHT	
10910	SSU-60SB	\$ 4,159.50	110 LBS.	23 1/4"	52 1/2"	1" NPT-M
10912	SSU-80SB	\$ 4,877.50	151 LBS.	23 1/4"	72"	1-1/2" NPT-M
10914	SSU-119SB	\$ 7,432.50	228 LBS.	27"	74"	1-1/2" NPT-M

B - DENOTES SOLAR WITH TOP MOUNTED HEAT EXCHANGER FOR BOILER CONNECTION

**SSU-DBX SERIES** DRAIN BACK TANKS. STAINLESS STEEL TANK WITH INTERNAL COPPER HEAT EXCHANGER. SIGHT GLASS. FOAM INSULATED.

LIMITED WARRANTY: 3 YEARS

STANDARD PACKAGING: 1 PER SKID \*

ID #	MODEL	RETAIL LIST	INTERNAL HX	APPROX. SHIPPING WEIGHT	DIMENSIONS	
					DIA.	HEIGHT
13660	SSU-10DBX	\$ 1,434.00	10 SQUARE FEET	31 LBS.	16 1/4"	19"
13661	SSU-15DBX	\$ 1,762.50	15 SQUARE FEET	44 LBS.	19 1/4"	23"
13662	SSU-20DBX	\$ 2,023.00	20 SQUARE FEET	55 LBS.	19 1/4"	27"

**SSU-DB SERIES** DRAIN BACK TANKS. STAINLESS STEEL TANK LESS HEAT EXCHANGER. SIGHT GLASS. FOAM INSULATED.

LIMITED WARRANTY: 3 YEARS

STANDARD PACKAGING: 1 PER SKID \*

ID #	MODEL	RETAIL LIST	APPROX. SHIPPING WEIGHT	DIMENSIONS	
				DIA.	HEIGHT
10916	SSU-10DB	\$ 926.00	25 LBS.	16 1/4"	19"
13659	SSU-15DB	\$ 1,269.50	37 LBS.	19 1/4"	23"
10917	SSU-20DB	\$ 1,346.50	44 LBS.	19 1/4"	27"

\* BREAKDOWN CHARGES OF \$25.00 PER SKID WILL BE APPLIED TO ORDERS THAT DO NOT MEET THE STANDARD PACKAGING REQUIREMENT.

**INDIRECT FIRED SOLAR WATER HEATERS  
CONTROLS & ACCESSORIES**

**SSU-SE, SSU-SB** CONTROLS & ACCESSORIES (ALL ITEMS SOLD AND PACKAGED INDIVIDUALLY)

ID #	PART #	RETAIL LIST	DESCRIPTION
1206	TD1015	\$ 54.50	THERMOSTAT THERMODISC (SSU-SE ONLY)
1205	TD1010	\$ 40.50	THERMOSTAT THERMODISC
1088	E1001	\$ 338.00	ELEMENT, 4500 WATT, 240 VOLT (SSU-SE ONLY)
1210	TP1500	\$ 78.50	RELIEF VALVE - 3/4" - 100XL-8
1111	L4080B-1352	\$ 140.50	HONEYWELL CONTROL W/DIFFERENTIAL OF 7°
	6060P-868	\$ 140.50	TASSERON AQUASTAT CONTROL
5371	L4006G	\$ 235.50	HONEYWELL CONTROL 60° F. TO 160° F. W/DIFFERENTIAL OF 12°
5268	11D18	\$ 242.50	WHITE RODGERS CONTROL 100° TO 240° F - W/ ADJ. DIFFERENTIAL 5-30°
1129	PMW-3SENP-1	\$ 83.50	STAINLESS STEEL AQUASTAT WELL (ALL INDIRECT WATER HEATERS)



**GLASS LINED  
INDIRECT WATER HEATERS**

**CONTENDER**

**SSC SERIES** DURABLE PORCELAIN ENAMEL INDIRECT TANK WITH T&P VALVE, DRAIN VALVE AND CONTROL. FOAM INSULATED.

**LIMITED WARRANTY:** RESIDENTIAL = 7 YRS. TANK, COMMERCIAL = 5 YRS. TANK, OTHER PARTS = 1 YR.

**STANDARD PACKAGING:** SSC-50 & SSC-80 = 4 PER SKID. SSC-119 = 1 PER SKID \*

ID #	MODEL	RETAIL LIST	FIRST HOUR RATING		APPROX. SHIPPING WEIGHT	DIMENSIONS		DOMESTIC CONNECTION SIZE
			140 DEG.F.	115 DEG. F.		DIA.	HEIGHT	
1138	SSC-50	\$ 2,306.00	160 GAL/HR	220 GAL/HR	170	23"	46 1/2"	3/4" NPT-M
1139	SSC-80	\$ 2,998.50	203 GAL/HR	276 GAL/HR	232	23"	71 1/4"	1-1/2" NPT-M
1137	SSC-119	\$ 3,924.00	308 GAL/HR	424 GAL/HR	331	28"	64"	1-1/2" NPT-M



**GLASS LINED  
SOLAR WATER**

**SSC-SE SERIES** DURABLE PORCELAIN ENAMEL INDIRECT TANK WITH T&P VALVE, DRAIN VALVE AND CONTROL. FOAM INSULATED.

**LIMITED WARRANTY:** RESIDENTIAL = 7 YRS. TANK, COMMERCIAL = 5 YRS. TANK, OTHER PARTS = 1 YR.

**STANDARD PACKAGING:** 50 AND 80 GALLON = 4 PER SKID 119 GALLON = 1 PER SKID \*

ID #	MODEL	RETAIL LIST	APPROX. SHIPPING WEIGHT	DIMENSIONS		DOMESTIC CONNECTION SIZE
				DIA.	HEIGHT	
10918	SSC-50SE	\$ 2,476.00	172 LBS.	23"	46 1/2"	3/4" NPT-M
10920	SSC-80SE	\$ 3,047.50	234 LBS.	23"	71 1/4"	1-1/2" NPT-M
10922	SSC-119SE	\$ 3,861.50	333 LBS.	28"	64"	1-1/2" NPT-M

**E - DENOTES SOLAR WITH 4500 WATT SINGLE ELECTRIC ELEMENT**

**SSC-SB SERIES** DURABLE PORCELAIN ENAMEL INDIRECT TANK WITH T&P VALVE, DRAIN VALVE AND CONTROL. FOAM INSULATED.

**LIMITED WARRANTY:** RESIDENTIAL = 7 YRS. TANK, COMMERCIAL = 5 YRS. TANK, OTHER PARTS = 1 YR.

**STANDARD PACKAGING:** 50 AND 80 GALLON = 4 PER SKID 119 GALLON = 1 PER SKID \*

ID #	MODEL	RETAIL LIST	APPROX. SHIPPING WEIGHT	DIMENSIONS		DOMESTIC CONNECTION SIZE
				DIA.	HEIGHT	
10919	SSC-50SB	\$ 2,879.00	185 LBS.	23"	46 1/2"	3/4" NPT-M
10921	SSC-80SB	\$ 3,450.00	247 LBS.	23"	71 1/4"	1-1/2" NPT-M
10923	SSC-119SB	\$ 4,262.50	346 LBS.	28"	64"	1-1/2" NPT-M

**B - DENOTES SOLAR WITH TOP MOUNTED HEAT EXCHANGER FOR BOILER CONNECTION**

\* BREAKDOWN CHARGES OF \$25.00 PER SKID WILL BE APPLIED TO ORDERS THAT DO NOT MEET THE STANDARD PACKAGING REQUIREMENT.

**GLASS LINED INDIRECT & SOLAR WATER HEATERS  
CONTROLS & ACCESSORIES**

**SSC SERIES** CONTROLS & ACCESSORIES (ALL ITEMS SOLD AND PACKAGED INDIVIDUALLY)

**SSC-SE, SSC-SB SERIES**

<b>ID #</b>	<b>MODEL</b>	<b>RETAIL LIST</b>	<b>DESCRIPTION</b>
936	6075P-044	\$ 195.00	REPLACEMENT SAUSAGE LINK ANODE ROD (SSC-50, 80, & 119)
1205	TD1010	\$ 40.50	THERMOSTAT THERMODISC
1208	TP1000	\$ 88.00	RELIEF VALVE - 3/4" - 100XL-3 (50, 80 & 119 GAL.)
1136	SN1002	\$ 40.50	DRAIN VALVE
	6075P-003	\$ 35.50	DIP TUBE - SSC-50
	6075P-009	\$ 69.00	DIP TUBE - SSC-80/SSC-119

**SUPERstor** **ULTRA** **INDIRECT STAINLESS STEEL POOL HEATER**

**SSU-PH SERIES** STAINLESS STEEL TANK WITH HIGH EFFICIENCY CUPRONICKEL HEAT EXCHANGER AND (2) 1-1/2" POOL INLET & OUTLET CONNECTIONS. FOAM INSULATED.

LIMITED WARRANTY: 5 YRS.

STANDARD PACKAGING: SSU-20PH = 1 PER SKID \*

ID #	MODEL	RETAIL LIST	APPROX. SHIPPING WEIGHT	DIMENSIONS		DOMESTIC CONNECTION SIZE
				DIA.	HEIGHT	
1146	SSU-20PH	\$ 2,391.50	53 LBS.	19 1/4"	27"	1-1/2" NPT-M

**POOL HEATER CONTROLS & ACCESSORIES**

**SSU-PH SERIES** CONTROLS & ACCESSORIES (ALL ITEMS SOLD AND PACKAGED INDIVIDUALLY)

ID #	PART #	RETAIL LIST	DESCRIPTION
5410	SP-30	\$ 790.00	HEATER CONTROL PKG. W/SENSOR & TRANSFORMER - 70° - 104° F MAX.

\* BREAKDOWN CHARGES OF \$25.00 PER SKID WILL BE APPLIED TO ORDERS THAT DO NOT MEET THE STANDARD PACKAGING REQUIREMENT.

**SUPERstor****OIL FIRED WATER HEATERS****SJ SERIES** GLASS LINED HEAVY DUTY STEEL TANK. FOAM INSULATED.

LIMITED WARRANTY: 5 YRS.

STANDARD PACKAGING: SJ-30C &amp; SJ-50C = 4 PER SKID \*

ID #	MODEL	RETAIL LIST	APPROX. SHIPPING WEIGHT	DIMENSIONS		DOMESTIC CONNECTION SIZE
				DIA.	HEIGHT	
5409	SJ-30C	\$ 2,232.00	195 LBS.	22"	52"	3/4" NPT-M
5408	SJ-50C	\$ 3,362.50	210 LBS.	22"	60"	3/4" NPT-M

NOTE: ABOVE UNITS DO NOT INCLUDE BECKETT BURNER.

### OIL FIRED WATER HEATERS CONTROLS & ACCESSORIES

**SJ SERIES** CONTROLS & ACCESSORIES. (ALL ITEMS SOLD AND PACKAGED INDIVIDUALLY)

ID #	PART #	RETAIL LIST	DESCRIPTION
5364	HTP-101 S	\$ 1,389.50	BECKETT AFG BURNER WITH SINGLE HIGH LIMIT AQUASTAT
10891	HTP-101 D	\$ 1,544.50	BECKETT AFG BURNER WITH DUAL HIGH LIMIT AQUASTAT
10892	HTP-RFK	\$ 135.50	REAR FLUE KIT
1136	SN1002	\$ 40.50	DRAIN VALVE
1111	L4080B-1352	\$ 140.50	HONEYWELL SINGLE HIGH LIMIT AQUASTAT W/DIFFERENTIAL OF 7°
	6060P-868	\$ 140.50	TASSERON AQUASTAT CONTROL
10893	L4103A-1092	\$ 152.50	HONEYWELL DUAL HIGH LIMIT AQUASTAT
10819	6040-390B	\$ 166.50	HINGED BAFFLE (30 GAL.)
10820	6040-410B	\$ 207.00	HINGED BAFFLE (50 GAL.)
10885	A8000	\$ 45.00	ANODE ROD ALUMINUM - 3/4" (30 GAL.)
1080	A8001	\$ 47.50	ANODE ROD ALUMINUM - 3/4" (50 GAL.)
10886	A8002	\$ 62.00	HOT WATER OUTLET/ANODE ROD COMBO-CONNECT (ALL MODELS)
10817	96543	\$ 271.50	CARLIN CONVERSION KIT
10895	PMW-3SEEDP	\$ 62.00	AQUASTAT WELL (ALL OIL FIRED MODELS)
10894	P1003	\$ 28.50	COLD WATER INLET DIP TUBE (ALL OIL FIRED MODELS)

\* BREAKDOWN CHARGES OF \$25.00 PER SKID WILL BE APPLIED TO ORDERS THAT DO NOT MEET THE STANDARD PACKAGING REQUIREMENT.



**COIL BOOSTER  
STAINLESS STEEL  
STORAGE TANKS**

**SSU-CB SERIES** STAINLESS STEEL TANK WITH SURFACE MOUNTED THERMOSTAT. FOAM INSULATED.

LIMITED WARRANTY: 10 YEARS

STANDARD PACKAGING: SSU-30CB THROUGH SSU-60CB = 4 PER SKID SSU-80CB, SSU-119CB = 1 PER SKID \*\*

NOTE: SSU-80CB & SSU-119CB ARE LESS CONTROL AND HAVE AQUASTAT WELL FOR CONNECTION TO 4080B-1352

ID #	MODEL	RETAIL LIST	APPROX. SHIPPING WEIGHT	DIMENSIONS		DOMESTIC CONNECTION SIZE
				DIA.	HEIGHT	
1148	SSU-30CB	\$ 1,451.50	40 LBS.	19 1/4"	39 1/2"	3/4" NPT-M
1152	SSU-45CB	\$ 1,877.50	64 LBS.	19 1/4"	52 1/2"	3/4" NPT-M
10903	SSU-60CB	\$ 3,245.50	90 LBS.	23 1/4"	52 1/2"	1" NPT-M
1159	SSU-80CB	\$ 3,955.00	109 LBS.	23 1/4"	72"	1-1/2" NPT-M
1142	SSU-119CB	\$ 6,341.50	178 LBS.	27"	74"	1-1/2" NPT-M



**COIL BOOSTER  
GLASS LINED  
STORAGE TANKS**

**GL SERIES** GLASS LINED TANK. FOAM INSULATED.

LIMITED WARRANTY: TANK = 5 YRS, PARTS = 1 YR.

STANDARD PACKAGING: GL-50, GL-80 = 4 PER SKID GL-119, GL-175 = 1 PER SKID \*

NOTE: GL-50 INCLUDES SURFACE MOUNTED THERMOSTAT. GL-80, GL-119 AND GL-175 DO NOT INCLUDE CONTROL AND HAVE AQUASTAT WELL FOR CONNECTION TO L4080B-1352

ID #	MODEL	RETAIL LIST	APPROX. SHIPPING WEIGHT	DIMENSIONS		DOMESTIC CONNECTION SIZE
				DIA.	HEIGHT	
1105	GL-50	\$ 1,209.00	120 LBS.	19 1/4"	49"	3/4" NPT-M
1106	GL-80	\$ 2,139.00	165 LBS.	23 1/4"	72"	2" NPT-M
1104	GL-119	\$ 3,500.50	250 LBS.	27"	74"	2" NPT-M
5359	GL-175	\$ 6,441.50	600 LBS.	32 1/4"	67 1/4"	2 1/2" NPT-M

\* BREAKDOWN CHARGES OF \$25.00 PER SKID WILL BE APPLIED TO ORDERS THAT DO NOT MEET THE STANDARD PACKAGING REQUIREMENT.

**GL SERIES ASME** GLASS LINED TANK. FOAM INSULATED.

LIMITED WARRANTY: TANK = 5 YRS, PARTS = 1 YR.

STANDARD PACKAGING: GL-80 ASME = 4 PER SKID GL-119 ASME & GL-175 ASME = 1 PER SKID

NOTE: GL-80, GL-119 AND GL-175 DO NOT INCLUDE CONTROL AND HAVE AQUASTAT WELL FOR CONNECTION TO L4080B-1352.

ID #	MODEL	RETAIL LIST	APPROX. SHIPPING WEIGHT	DIMENSIONS		DOMESTIC CONNECTION SIZE
				DIA.	HEIGHT	
5361	GL-80 ASME	\$ 5,473.00	260 LBS.	24 7/16"	58 5/16"	2" NPT-M
5358	GL-119 ASME	\$ 6,258.50	340 LBS.	28 1/4"	59 1/4"	2" NPT-M
5360	GL-175 ASME	\$ 9,247.00	600 LBS.	32 1/4"	67 1/4"	2 1/2" NPT-M



**STAINLESS STEEL  
BUFFER TANKS**

**SSU-B SERIES** STAINLESS STEEL TANK WITH (4) 1-1/2" PORTS, 1/2" VENT HOLE ON TOP OF TANK.  
FOAM INSULATED. PACKAGED WITH AQUASTAT WELL

LIMITED WARRANTY: 10 YRS.

STANDARD PACKAGING: SSU-20B = 1 PER SKID

ID #	MODEL	RETAIL LIST	APPROX. SHIPPING WEIGHT	DIMENSIONS		DOMESTIC CONNECTION SIZE
				DIA.	HEIGHT	
1145	SSU-20B	\$ 1,468.00	49 LBS.	19 1/2"	27"	3/4" NPT-M

**STORAGE TANKS  
CONTROLS & ACCESSORIES**

**SSU-CB & GL SERIES** CONTROLS & ACCESSORIES (ALL ITEMS SOLD AND PACKAGED INDIVIDUALLY)

ID #	PART #	RETAIL LIST	DESCRIPTION
1205	TD1010	\$ 40.50	SURFACE MOUNTED THERMOSTAT
1107	GL-KT1	\$ 250.00	PREWIRED AQUASTAT COVER W/LINE CORD
1108	GL-KT2	\$ 616.50	PREWIRED AQUASTAT COVER W/BRONZE PUMP AND LINE CORD
2403	006-BT4	\$ 471.00	TACO BRONZE PUMP W/ 3/4" NPT CONNECTION
1111	L4080B-1352	\$ 140.50	HONEYWELL SINGLE HIGH LIMIT AQUASTAT W/DIFFERENTIAL OF 7°
	6060P-868	\$ 140.50	TASSERON AQUASTAT CONTROL
1129	PMW-3SENP-1	\$ 83.50	STAINLESS STEEL AQUASTAT WELL (SSU-CB 80 & 119)
1130	PMW-3SEPL	\$ 52.50	AQUASTAT IMMERSION WELL - 3/4" (GL80 & 119)
1080	A8001	\$ 47.50	ANODE ROD REPLACEMENT - 3/4" (GL50)
1081	A8003	\$ 112.00	ANODE ROD REPLACEMENT - 3/4" (GL80 & 119)

# EVERLAST

*Stainless Steel Electric Water Heater*

## ELECTRIC WATER HEATERS

**POINT OF USE MODELS** ALL STAINLESS STEEL TANK, ELECTRO-POLISHED STAINLESS ELEMENT WITH BRASS THREAD BASE, T & P (TP1000) INSTALLED, FOAM INSULATED. UNITS ARE FURNISHED WITH STANDARD 120 VOLT AC SINGLE PHASE NON-SIMULTANEOUS WIRING, 1500 WATT ELEMENT.

**LIMITED WARRANTY:** 10 YEARS; PARTS - 3 YEARS

**STANDARD PACKAGING:** EV-6 through EV20 = 1 PER SKID \*\*

ID #	MODEL	RETAIL LIST	APPROX. SHIPPING WEIGHT	DIMENSIONS		DOMESTIC CONNECTION SIZE
				DIA.	HEIGHT	
1097	EV-6	\$ 737.50	19 LBS.	14 1/4"	16 1/2"	1/2" NPT-M
1091	EV-12 *	\$ 899.50	26 LBS.	16 1/4"	19"	1/2" NPT-M
1092	EV-20 *	\$ 1,201.50	41 LBS.	19 1/4"	27"	3/4" NPT-M

\* \$100.00 NET ADDER - EV-12/EV-20 240 VOLT 4500 WATT ELEMENT - ADD "02" TO THE MODEL NUMBER

\* \$100.00 NET ADDER - EV-12/EV-20 HIGH VOLTAGE ELEMENTS (277V 4500W) - ADD AN "H" TO THE MODEL NUMBER WHEN ORDERING

\*\* BREAKDOWN CHARGES OF \$25.00 PER SKID WILL BE APPLIED TO ORDERS THAT DO NOT MEET THE STANDARD PACKAGING REQUIREMENT.

## ELECTRIC WATER HEATERS CONTROLS & ACCESSORIES

**EV SERIES** CONTROLS & ACCESSORIES (ALL ITEMS SOLD AND PACKAGED INDIVIDUALLY)

ID #	MODEL	RETAIL LIST	DESCRIPTION
1089	E1010	\$ 328.50	ELEMENT, 1500 WATT, 120 VOLT (POINT OF USE HEATERS)
1088	E1001	\$ 338.00	ELEMENT, 4500 WATT, 240 VOLT (DUAL ELEMENT HEATERS)
10890	E1003	\$ 411.50	ELEMENT, 1500 WATT, 277 VOLT (POINT OF USE HEATERS)
10889	E1002	\$ 421.00	ELEMENT, 4500 WATT, 277 VOLT (DUAL ELEMENT HEATERS)
1208	TP1000	\$ 88.00	RELIEF VALVE - 3/4" - 100XL-3 (6, 12 & 20 GAL.)
1210	TP1500	\$ 78.50	RELIEF VALVE - 3/4" - 100XL-8 (30, 45, 50 & 80 GAL.)
1205	TD1010	\$ 40.50	LOWER THERMOSTAT THERMODISC 59T4090
1206	TD1015	\$ 54.50	UPPER THERMOSTAT THERMODISC 59T4190/66T4490
10900	TD1020	\$ 54.50	SIMULTANEOUS THERMOSTAT THERMODISC 59T4090//66T4490

**SPECIAL NOTE:** ALL ELECTRIC WATER HEATER ELEMENTS MUST BE REPLACED WITH BRASS HEAD ELEMENTS - PART # E1010, E1001, E1002 or E1003



**PHE SERIES** 96% THERMAL EFFICIENCY GAS FIRED WATER HEATER WITH INTEGRATED CLOSED LOOP SPACE HEATING MODULE  
**LIMITED WARRANTY:** PARTS - 1 YEAR, TANK - 12 YEAR LIMITED RESIDENTIAL, 3 YEARS COMMERCIAL

**STANDARD EQUIPMENT:** MODULATING BURNER, INTEGRATED CLOSED LOOP SPACE HEATING MODULE, 1" DHW MIXING VALVE, HYDRONIC TEMPERATURE & PRESSURE VALVE, VENT INLET & EXHAUST OUTLET FITTINGS WITH SCREENS

ID #	MODEL	RETAIL LIST	FIRST HOUR RATING AT 100 DEG. F. RISE	APPROX. SHIPPING WEIGHT	DIMENSIONS		DOMESTIC CONNECTION SIZE	HYDRONIC CONNECTION SIZE	SOLAR CONNECTION SIZE
					DIA.	HEIGHT			
15657	PHE130-55	\$ 12,089.00	189 GPH	205	23"	52"	1" NPT	1" NPT	1" NPT
15913	PHE199-55	\$ 14,011.50	279 GPH	205	23"	52"	1" NPT	1" NPT	1" NPT
15914	PHE130-80	\$ 14,011.50	220 GPH	265	23"	72"	1" NPT	1" NPT	1" NPT
15915	PHE199-80	\$ 15,557.50	300 GPH	265	23"	72"	1" NPT	1" NPT	1" NPT
15916	PHE130-119	\$ 14,973.00	250 GPH	435	27"	74"	1" NPT	1" NPT	1" NPT
15917	PHE199-119	\$ 16,490.00	335 GPH	435	27"	74"	1" NPT	1" NPT	1" NPT

**SPECIAL NOTE:** When ordering propane add LP to the model number.



**PHE-S SERIES** 96% THERMAL EFFICIENCY GAS FIRED WATER HEATER WITH INTEGRATED CLOSED LOOP SPACE HEATING MODULE  
**LIMITED WARRANTY:** PARTS - 1 YEAR, TANK - 12 YEAR LIMITED RESIDENTIAL, 3 YEARS COMMERCIAL

**STANDARD EQUIPMENT:** MODULATING BURNER, INTEGRATED CLOSED LOOP SPACE HEATING MODULE, 1" DHW MIXING VALVE,

ID #	MODEL	RETAIL LIST	FIRST HOUR RATING AT 100 DEG. F. RISE	APPROX. SHIPPING WEIGHT	DIMENSIONS		DOMESTIC CONNECTION SIZE	HYDRONIC CONNECTION SIZE
					DIA.	HEIGHT		
15918	PHE130-80S	\$ 15,086.00	189 GPH	275	23"	72"	1" NPT	1" NPT
15656	PHE199-80S	\$ 16,600.00	279 GPH	275	23"	72"	1" NPT	1" NPT
15919	PHE130-119S	\$ 16,046.00	220 GPH	445	27"	74"	1" NPT	1" NPT
15920	PHE199-119S	\$ 17,534.00	300 GPH	445	27"	74"	1" NPT	1" NPT
	PHE130-119SNHX	\$ 14,960.50	220 GPH	435	27"	74"	1" NPT	1" NPT
	PHE199-119SNHX	\$ 16,385.50	300 GPH	435	27"	74"	1" NPT	1" NPT

**SPECIAL NOTE:** When ordering propane add LP to the model number.

## PHOENIX EVOLUTION / PHOENIX EVOLUTION SOLAR REPLACEMENT PARTS

***PHE / PHE-S SERIES*** REPLACEMENT PARTS (ALL ITEMS SOLD AND PACKAGED INDIVIDUALLY)

ID #	PART #	RETAIL LIST	DESCRIPTION
	7000P-862	\$ 367.50	GAS VALVE-130k BTU (W/ SWIRL PLATE AND SCREWS)
	7000P-863	\$ 404.50	GAS VALVE-199k BTU (W/ SWIRL PLATE AND SCREWS)
	7500P-184	\$ 28.50	AIR INTAKE ADAPTER - VALVE SIDE
	7500P-185	\$ 28.50	AIR INTAKE ADAPTER - BLOWER SIDE
11219	7500P-092	\$ 35.00	SWIRL PLATE -199k BTU INPUT
	7100P-042	\$ 65.50	SWIRL PLATE -130k BTU INPUT
10997	7250P-714-1	\$ 61.00	GAS VALVE CONVERSION KIT - NATURAL TO PROPANE
10832	7100P-004	\$ 100.50	UPPER TEMPERATURE SENSOR
10833	7100P-005	\$ 100.50	LOWER TEMPERATURE SENSOR
10834	7100P-006	\$ 100.50	HIGH LIMIT SAFETY
13663	7000P-852-1	\$ 103.00	LOW WATER CUT-OFF PROBE ONLY
12078	7100P-026	\$ 118.00	GASKET - MOUNTING PLATE
	7100P-094	\$ 41.50	SPARK ELECTRODE-LP (WITH GASKET 7100P-155)
	7100P-093	\$ 78.50	SPARK ELECTRODE-NATURAL GAS (WITH GASKET 7100P-155)
16461	7100P-082	\$ 61.00	FLAME RECTIFICATION PROBE (WITH GASKET 7100P-155)
	7100P-155	\$ 13.00	IGNITER/RECT ELECTRODE GASKET
12075	7100P-031	\$ 450.50	BURNER-199k BTU INPUT
12069	7100P-032	\$ 409.00	BURNER-130k BTU INPUT
	7450P-122 *	\$ 470.00	926 CONTROL BOARD
	7100P-108	\$ 164.00	PHOENIX EVOLUTION 926 ECS BOARD
	7100P-266	\$ 343.50	CONTROL BOARD DISPLAY (INCLUDES MEMBRANE,DISPLAY BOARD, PLASTIC SHELL, AND RIBBON CABLE)
	7100P-083	\$ 181.50	CUSTOMER CONNECTION BOARD
	7100P-102	\$ 50.50	ELECTRONIC BACK PLATE
	7100P-114	\$ 28.50	2" AIR INLET COUPLING-130k BTU
	7100P-103	\$ 48.00	3" AIR INLET COUPLING-199k BTU
	7100P-104	\$ 17.50	AIR INLET COUPLING NUT Unverisal for Both 2"/3"
	7100P-121	\$ 30.50	CONDENSATE HOSE
	7100P-131	\$ 1,218.00	HYDRONIC HEATING MODULE PUMP
	7100P-132	\$ 614.50	BRAZED PLATE HEAT EXCHANGER
	7100P-149	\$ 8.50	HYDRONIC MODULE COVER THUMB SCREW
	7100P-172	\$ 35.00	CLIP-ON PIPE TEMPERATURE SENSOR
	7100P-254	\$ 13.00	6 PIN SCREW TERMINAL BLOCK
	7100P-255	\$ 13.00	4 PIN SCREW TERMINAL BLOCK
	7100P-256	\$ 13.00	3 PIN SCREW TERMINAL BLOCK
	7100P-257	\$ 76.50	LOW VOLTAGE WIRE HARNESS
	7100P-258	\$ 30.50	HIGH VOLTAGE WIRE HARNESS
	7100P-259	\$ 33.00	HYDRONIC MODULE WIRE HARNESS
	7100P-260	\$ 28.50	55 GAL TANK SENSOR WIRE HARNESS
	7100P-261	\$ 30.50	80 GAL TANK SENSOR WIRE HARNESS
	7100P-262	\$ 30.50	119 GAL TANK SENSOR WIRE HARNESS
977	7250P-080	\$ 78.50	HYDRONIC HEATING PRESSURE RELIEF
992	7250P-150	\$ 70.00	BLOCKED VENT PRESSURE SWITCH
1011	7250P-320	\$ 284.50	PC CONNECTION CABLE
16444	7250P-738	\$ 380.50	PC CONNECTION CABLE WITH USB CONNECTOR
15026	7250P-737	\$ 118.00	USB CONNECTOR
1099	G2000	\$ 17.50	SIGHT GLASS (WITH 2 GASKETS)
1101	G5020	\$ 26.00	GASKET - BURNER OUTLET
1209	TP1400	\$ 207.50	TEMPERATURE AND PRESSURE RELIEF VALVE
1220	VS210	\$ 87.50	THERMODISC FLUE ECO 210°
	7100P-221	\$ 46.00	ECS RIBBON CABLE

CAN BE PROGRAMMED CORRECTLY.



**PH SERIES** 96% EFFICIENCY GAS FIRED WATER HEATER WITH MODULATING BURNER  
**LIMITED WARRANTY:** PARTS - 1 YEAR, TANK - 7 YEARS RESIDENTIAL, 3 YEARS COMMERCIAL  
**STANDARD EQUIPMENT:** 96% EFFICIENCY GAS FIRED WATER HEATER WITH MODULATING BURNER

ID #	MODEL	RETAIL LIST	FIRST HOUR RATING AT 100 DEG. F. RISE	APPX SHIP WT	DIMENSIONS		DOMESTIC CONNECTION SIZE
					DIA.	HEIGHT	
5394	PH100-55	\$ 8,181.00	147 GPH	175	23"	52"	1" NPT-M
5398	PH130-55	\$ 8,921.50	189 GPH	175	23"	52"	1" NPT-M
5402	PH199-55	\$ 10,789.50	279 GPH	175	23"	52"	1" NPT-M
5395	PH100-80	\$ 9,319.00	170 GPH	235	23"	72"	1-1/2" NPT-M
5399	PH130-80	\$ 10,789.50	220 GPH	235	23"	72"	1-1/2" NPT-M
5403	PH199-80	\$ 12,369.00	300 GPH	235	23"	72"	1-1/2" NPT-M
5392	PH100-119	\$ 10,405.00	204 GPH	405	27"	74"	1-1/2" NPT-M
5396	PH130-119	\$ 11,771.00	250 GPH	405	27"	74"	1-1/2" NPT-M
5400	PH199-119	\$ 13,321.00	335 GPH	405	27"	74"	1-1/2" NPT-M

**SPECIAL NOTE:** When ordering propane add LP to the model number.

**PH-SA SERIES** 94% THERMAL EFFICIENCY BOOSTER WITH MODULATING BURNER, HIGH TEMPERATURE SANITIZER  
**LIMITED WARRANTY:** PARTS - 1 YEAR, 3 YEARS COMMERCIAL  
**STANDARD EQUIPMENT:** 94% THERMAL EFFICIENCY BOOSTER WITH MODULATING BURNER, HIGH TEMPERATURE SANITIZER

ID #	MODEL	RETAIL LIST	Max. Temperature Setting	APPX SHIP WT	DIMENSIONS		DOMESTIC CONNECTION SIZE
					DIA.	HEIGHT	
16186	PH130-55SA*	\$ 16,801.50	184°F	175 LBS	23"	52"	1" NPT-M
16187	PH199-55SA*	\$ 13,818.50	184°F	175 LBS	23"	52"	1" NPT-M

\*VSBK-1200 KIT NOT INCLUDED

**SPECIAL NOTE:** When ordering propane add LP to the model number.



**PH-S SERIES** 96% EFFICIENCY GAS FIRED WATER HEATER WITH MODULATING BURNER & SOLAR HEAT EXCHANGER.  
**LIMITED WARRANTY:** PARTS - 1 YEAR, TANK - 7 YEARS RESIDENTIAL, 3 YEARS COMMERCIAL

ID #	MODEL	RETAIL LIST	FIRST HOUR RATING AT 100 DEG. F. RISE	APPX SHIP WT	DIMENSIONS		DOMESTIC CONNECTION SIZE
					DIA.	HEIGHT	
10691	PH130-80S	\$ 11,650.00	189 GPH	235	23"	72"	1" NPT-M
10692	PH199-80S	\$ 13,165.00	279 GPH	235	23"	72"	1" NPT-M
10693	PH130-119S	\$ 12,611.50	220 GPH	405	27"	74"	1" NPT-M
10694	PH199-119S	\$ 14,098.00	300 GPH	405	27"	74"	1" NPT-M
	PH130-119SNHX	\$ 12,048.00	250 GPH	405	27"	74"	1" NPT-M
	PH199-119SNHX	\$ 13,632.50	335 GPH	405	27"	74"	1" NPT-M

**SPECIAL NOTE:** When ordering propane add LP to the model number.

**STANDARD PACKAGING:** ALL 55 GALLON UNITS - 2 PER SKID ALL 80 AND 119 GALLON UNITS - 1 PER SKID  
 BREAKDOWN CHARGES OF \$25.00 PER SKID WILL BE APPLIED TO ORDERS THAT DO NOT MEET THE STANDARD PACKAGING REQUIREMENT.

**PHOENIX GAS FIRED  
WATER HEATERS  
REPLACEMENT PARTS**

**PH/ PH-S & PH-SA SERIES** REPLACEMENT PARTS (ALL ITEMS SOLD AND PACKAGED INDIVIDUALLY)

ID #	MODEL	RETAIL LIST	DESCRIPTION
10835	7100P-010 **	\$ 2,322.00	REPLACEMENT BURNER ASSEMBLY (PH100 AND PH130 ONLY)
10836	7100P-012 **	\$ 2,322.00	REPLACEMENT BURNER ASSEMBLY (PH199 ONLY)
12069	7100P-032	\$ 409.00	BURNER KIT (W/GASKET) (100/130 BTU UNITS ONLY)
12075	7100P-031	\$ 450.50	BURNER KIT (W/GASKET) (199 BTU UNITS ONLY)
12076	7100P-013	\$ 63.50	WIRING HARNESS TO TANK SENSORS (55 GALLON)
12077	7100P-014	\$ 63.50	WIRING HARNESS TO TANK SENSORS (80/119 GALLON)
10830	7100P-029	\$ 78.50	SPARK ELECTRODE KIT (W/GASKET, SCREWS, WASHER)
10831	7100P-024	\$ 70.00	FLAME RECTIFICATION PROBE KIT (W/GASKET, SCREWS, WASHER)
10832	7100P-004	\$ 100.50	UPPER TEMPERATURE SENSOR
10833	7100P-005	\$ 100.50	LOWER TEMPERATURE SENSOR
10834	7100P-006	\$ 100.50	HIGH LIMIT SAFETY
12078	7100P-026	\$ 118.00	MOUNTING PLATE GASKET
11847	7100P-015	\$ 1,345.00	COMBUSTION BLOWER KIT
12744	7350P-008 *	\$ 446.00	926 CONTROL BOARD
10829	7100P-001	\$ 63.50	WIRING HARNESS TO CONTROL BOARD
11228	7100P-039	\$ 367.50	GAS VALVE KIT (W/HOUSING, SWIRL PLATE, SCREWS) (100/130 BTU)
12080	7100P-040	\$ 367.50	GAS VALVE KIT (W/HOUSING, SWIRL PLATE, SCREWS) (199 BTU)
992	7250P-150	\$ 70.00	BLOCKED VENT PRESSURE SWITCH
12081	7100P-041	\$ 251.50	925 DISPLAY BOARD (w/RIBBON CABLE)
12743	7100P-009	\$ 251.50	926 DISPLAY BOARD (W/RIBBON CABLE)
984	7250P-089	\$ 63.50	THERMODISC FLUE ECO
10821	7000P-852	\$ 413.50	LOW WATER CUT-OFF BASE AND PROBE
13663	7000P-852-1	\$ 103.00	LOW WATER CUT-OFF PROBE ONLY
10997	7250P-714-1	\$ 61.00	GAS VALVE CONVERSION KIT - NATURAL TO PROPANE
12816	7250P-715-1	\$ 48.00	GAS VALVE CONVERSION KIT - PROPANE TO NATURAL
1011	7250P-320	\$ 284.50	PC CONNECTION CABLE
15026	7250P-737	\$ 118.00	USB CONNECTOR
16444	7250P-738	\$ 380.50	PC CONNECTION CABLE WITH USB CONNECTOR

\* WHEN ORDERING 7350P-008, YOU MUST SPECIFY MODEL & SERIAL NUMBER OF UNIT SO THE CONTROL BOARD CAN BE PROGRAMMED CORRECTLY.

\*\* WHEN ORDERING 7100P-010 OR 7100P-012, YOU MUST SPECIFY GALLON SIZE OF YOUR UNIT

**PHOENIX GAS FIRED BOOSTER SANITIZER ACCESSORIES**

**PH-SA SERIES** VSBK-1200 PHOENIX SANITIZER BOOSTER INSTALLATION KIT.

ID #	MODEL	RETAIL LIST	DESCRIPTION
5463	VSBK-1200	\$ 2,467.87	"SA SERIES" PHOENIX SANITIZER BOOSTER PLUMBING INSTALLATION KIT
	7000-708	\$ 78.72	NIBCO TEE 1" X 1" X 1/2" (2 PCS.)
	7000-709	\$ 47.23	FEMALE ADAPTER 1" (2 PCS.)
	7000-710	\$ 96.43	DIAL THERMOMETER (2 PCS.)
	7000-711	\$ 285.36	EXPANSION TANK 4.5 GAL.
	7000-712	\$ 442.80	GRUNDFOS 3 SPEED PUMP WITH CHECK VALVE
	7000-714	\$ 92.50	VACUUM RELIEF VALVE
	7000-716	\$ 159.41	PRESSURE GAUGE 0 - 200 PSI
	7000-728	\$ 35.42	NIBCO TEE 712R 1" X 1" X 3/4" (2 PCS.)
	7000-730	\$ 35.42	NIBCO TEE 714RR 1" X 1/2" X 1"
	7000-732	\$ 11.81	REDUCING BUSHING 3/4" X 1/4"
	7000-733	\$ 917.09	PRESSURE REDUCING VALVE
	7000-736	\$ 17.71	NIBCO MALE ADAPTER 1"
	7000-737	\$ 255.84	NIBCO 1.2" X 12" FITTING AIR CHAMBER
	7000-739	\$ 33.46	NIBCO TEE 1" X .5" X 1" COPPER